

## Inventory

## 37ft Timber Gaff-Topsail Cutter

## Specifications

Reference/Stock No	Cooee
Make	Timber Gaff-Topsail Cutter
Hull Material	Timber NZ Kauri, triple skin, copper riveted; total thickness 1 1/2 inches.
Length	37
Price	\$ 55,000
Region	Gold Coast, QLD
Vessel Name	Cooee
Launch Year	1894
Beam	2.75 m
Draft	1.52 m
Displacement	10 T
Deck material	NZ kauri under marine ply and dynel
Keel/balast	Lead
Designer	Chas Bailey
Builder	Bailey & Sons
Registration Number	LZ520Q

## Engine / Machinery

Engine Make	Westerbeke 30C freshwater cooled diesel, installed new in 2020
Engine Hours	300 h
Horsepower	30 HP
Fuel Capacity	100 litres in an Atlas polyethylene tank aft of the galley.
Propulsion	Maxprop feathering propeller 3-blade; matched bronze shaft; bronze stuffing gland and A-bracket.

## Deck Hardware / Fittings

Deck Description	Varnished pinrail for halliards; 2 bronze sheet winches; Profurl head furler; bronze Highfield levers for running backstays; bronze tracks and blocks for the jib and staysail; mainsheet has Tufnol blocks and stainless-steel traveller; bronze stern cleats; timber samson post keel-stepped; 2xdorade ventilators.
Ground Tackle /Anchor Winch	60 metres PWB 10mm chain; Sarca Excel anchor 20kg; Lewmar Delta 20kg

		as spare with chain and rope rode. Electric anchor winch, bronze Maxwell Nilsson V1000.
	Covers	Black canvas dodger and cockpit surround; miscellaneous other in black canvas.
Accommodation	Accommodation Description	Interior is varnished cedar with iroko trim and white paint. Counter stern is accessed through a starboard quarter berth currently modified for storage. The engine compartment is under the cockpit and accessed from the quarter berth and from the portside galley and starboard side navigation areas by removing the insulated cedar engine cover. Forward of that is the saloon with 2 settee berths: headroom 5feet 6 1/2 inches, 5feet 9 inches between beams and more under the skylight and companionway hatch. Then the mast alcove, and a forward cabin currently set up with the anchor locker, bookshelves, plus storage for clothes, tools and other miscellaneous.
	Cabins	No closed-off cabins or interior shower.
	Toilet	Portapotti
Galley	Galley Description	Eno 3-burner stainless steel cooktop; portable cedar sink with a Whale foot pump; racks, drawers, hammocks and lockers for utensils and food.
	Refrigeration	12-volt Dometic portable fridge, 25 litres.
Safety Equipment	Safety Gear	Safety harness and inflatable lifejacket, one of each; bosun's chair; selection of wood bungs. Bilge pump: 1 manual Whale accessible from the cockpit; 1 Rule Mate 1100 automatic plus 1 Rule 800, electric. Fire extinguisher, 1 inflatable life jacket.
Electrics / Electronics	Electrics	12 volt electrical system with circuit breakers in a master panel; 1x tbs electronics powerline inverter, 600 watts. 3x12 volt 27xMF sealed batteries plus 1x12 volt N70 cranking battery. 430 watts of solar on cockpit awning; 2xMorningstar regulators.
	Instruments / Navigation	Cap Ben bulkhead compass; Stowe depth sounder; 2 tiller pilots - Simrad and Autohelm; Aquasignal masthead tricolour; Kenwood TS 480 all mode transceiver; Standard brand VHF radio.
Sail / Rigging	Sail Inventory	Gaff mainsail of reduced size; topsail; trysail; staysail; furling jib.
	Mast / Rigging	Oregon bowsprit and keel-stepped mast; Baltic pine gaff of light, hollow, birdsmouth construction; carbon fibre spinnaker pole. Standing rigging 1x19

stainless steel, forestay and bobstay replaced 2017; open turnbuckles in bronze; running rigging in good condition.

---

Miscellaneous

General Remarks

Surveyed October 2022.

---