

Inventory

42' Huon Pine Sloop Lass O Luss

Specifications

Reference/Stock No	Lass O Luss
Make	Jock Muir Huon Pine Sloop
Hull Material	Huon Pine over hardwood frames and plywood bulkheads. Hull has been epoxy and glass sheathed and painted white
Length	42
Price	\$ 55,000
Region	Newport, NSW
Vessel Name	Lass O Luss
Launch Year	1948
Beam	2.6 m
Draft	2 m
Displacement	9000 kg
Deck material	Plywood over frames. Epoxy and glass sheathed and non-skid painted. Cabin side varnished
Keel/balast	Timber and lead full keel with rudder
Designer	Robert Clarke
Builder	Jock Muir
Registration Number	AAT173N
Engine Description	Yanmar 3YM30
Engine Hours	323 h
Horsepower	30 HP
Fuel Capacity	40 L
Fuel Type	Diesel
Propulsion	3 blade propeller
Deck Description	Stainless Steel pulpit, pushpit, 4 x SS winches in cockpit for sail handling, necessary deck blocks and genoa tracks. Large timber forward deck hatch, 2 x deck vents with daurade boxes, timber handrails on cabin top.
Ground Tackle /Anchor Winch	Manson 45lb (20kg) anchor, 50m of new chain and Muir electric windlass.

Engine / Machinery

Deck Hardware / Fittings

		Sun Awning for cockpit and full boat cover
Accommodation	Accommodation Description	Typical layout for sailing yachts of her time. Lass-O-Luss has a V-berth forward, small, enclosed head with Jabsco manual flush toilet and two aft berths under cockpit. The central galley and navigation area accommodates 2 x Stainless Steel lined ice boxes, sink, storage space etc
Safety Equipment	Safety Gear	Lifejackets, life ring, and other equipment to meet Maritime requirements. Equipment to be audited at time of survey
Electrics / Electronics	Electrics	12V elctrical system with 2 x 12V Alco lead acid 75amp batteries (house and engine start replaced 6/2021). Battery isolation switches also fitted. 12V breaker/ fuse panel is mounted on the port side in the galley servicing cabin lights, navigation lights, bilge pump, etc. Enerdrive 80W solar panel with Victron MPPT converter also fitted to keep batteries topped up whilst on the mooring.
Sail / Rigging	Sail Inventory	North Mainsail and Headsail
	Mast / Rigging	Aluminium single-inline spreader mast with wire rigging. Aluminium boom and Selden Rod-Kicker vang. Forestay is fitted with Harken headsail furler. 2 x Seafast halyard winches mounted on mast for main and headsail.
Miscelaneous	General Remarks	Mooring lines, fenders, side boarding ladder, winch handles, some spare parts and rigging items