

Inventory	Beneteau 51.1	
Specifications	Reference/Stock No	Wilde Rush
	Make	Beneteau Oceanis
	Model	Beneteau 51.1
	Hull Material	GRP
	Length	51.1
	Price	\$ 675,000 AUD
	Region	CYCA, NSW
	Vessel Name	Wilde Rush
	Launch Year	2018
	Beam	4.80 m
	Draft	2.36 m
	Displacement	14,000 kg
	Deck material	Injected deck construction in GRP and Saerform foam sandwich, covered with non-slip diamond pattern. Teak on cockpit floor and swim platform.
	Keel/balast	Deep T shaped keel
	Designer	Berret RacoupeauYacht Design Internal & External design by Nauta Design
	Builder	Beneteau Yachts
	Registration Number	BEN511N
Engine / Machinery	Engine Description	Upgraded Yanmar 110HP shaft drive diesel engine with folding propeller. 4JH110 81KW shaft drive diesel. Serial number E52492.
	Fuel Capacity	2 x 200 Ltr fuel tanks
	Genset	9 KVA Fisher Panda generator
	Propulsion	Shaft drive with 3-blade folding propeller
	Thrusters	yes
Deck Hardware / Fittings	Ground Tackle /Anchor Winch	1500W electrical windlass control from the cockpit with chain counter. Sarca Excel anchor with chain and warp. GRP bow sprit to neatly house the anchor and deploy asymmetric sails.
	Covers	Custom bimini and dodger with infill. Wheel and table covers. Cockpit cushions with companionway day beds.

Accommodation	Accommodation Description	3 x cabin, 2 x head owners' layout in limited edition brushed oak timber. Upgraded spring mattress in forward cabin. Upgraded ultra leather in saloon and forward cabin upholstery.
	Showers	2. Dedicated shower room in owner's cabin. Separated shower in aft head.
	Toilet	2 x fresh/salt water flush electric toilets with holding tanks.
	Entertainment	Fusion + Interior loudspeakers, waterproof exterior speakers. Bose speakers in saloon. 4G internet booster system with twin aerials.
Galley	Galley Description	U-shaped galley with excellent bench space and storage.
	Refrigeration	85 Ltr top-opening fridge, 130 Ltr front-opening fridge. 75 Ltr stainless steel drawer fridge galley.
	Hot Water system	Yes. 40Ltr unit heated from shore power or engine heat exchanger.
Safety Equipment	Safety Gear	To be audited at time of survey. Category 7 safety gear for 8 people. Yes 406.
	Bilge Pumps	Electric, automatic and manual bilge pumps.
Electrics / Electronics	Electrics	AGM service batteries. Engine battery (120Ah). 12V Electrical panel (Fuses - Voltmeter - Water gauge - Fuel gauge - Battery warning - Fuel warning - Water warning). 6 x 230V Sockets. 6 x USB sockets. 1 x Shore power socket (230V) with cable. LED lighting.
	Instruments / Navigation	B&G Offshore package with twin 7-inch Zeus plotters at each helm station. NAC3 autopilot with control at helm station. Fixed V90 VHF, AIS receiver function. 3 x 20/20 mast repeaters on custom mast pod.
Sail / Rigging	Sail Inventory	Dark grey composite Hood mainsail, dark grey composite hood furling #1 Genoa, white cruise laminate tri-radial cut #2 Genoa, dark grey composite #3 for self-tacker and furling Gennaker.
	Mast / Rigging	Upgraded First Line performance, triple spreader mast, Dyform Standing rigging, textile hydraulic backstay, flat deck Genoa furler, performance running rigging which has been constantly updated. German mainsheet system, black Magic Harken blocks, Genoa sheet tracks on side decks, self-tacking headsail rail with rigging.
	Deck Gear	4 x Performa Harken electric winches (2 Primary winches, H50.2 STP - 2 Genoa

	winches, H60.2 STP). NOMEN folding cleats.
--	--