

Inventory

Catalina 36 MK II

Specifications

Reference/Stock No	Magnificat
Make	Catalina
Model	Catalina 36 Mk II
Hull Material	Fibreglass
Length	36
Price	\$ 115,000
Region	Kirribilli, NSW
Vessel Name	Magnificat
Launch Year	1995
Beam	3.6 m
Draft	1.8 m
Displacement	7,5 T dry
Deck material	Fibreglass
Keel/balast	Lead 2.8 Tonnes " SS keel bolts
Designer	Garry Douglas
Builder	Catalina Yachts

Engine / Machinery

Engine Description	Universal (Westerbeke) 4 cylinder M35 diesel 30HP
Engine Hours	5000
Horsepower	30 HP
Fuel Capacity	80 litres capacity aluminium tank
Fuel Type	Diesel
Propulsion	JBC Junior 3 blade self-feathering

Deck Hardware / Fittings

Tender	5,4m Carvel Marine Ply " Cara Mia"™
Ground Tackle /Anchor Winch	16 Kg CQR + 45 metres 8mm short link tested galvanised chain. Maxwell RC8.
Covers	Bimini aft plus dodger over companionway; 1 x flat Shade Cover over boom with aluminium tubes (separate)

Accommodation

Accommodation Description	Self draining cockpit, open transom with boarding ladder. Cockpit - main storage locker + two lazarettes. Dinette 3 sides seating 6 + Side table seating 2. Cabinets x 4 above shelf + Storage below seating.
---------------------------	---

		Freshwater at stern
	Toilet	Large toilet/washroom with Jabsco electric toilet
Galley	Galley Description	Galley 2 sinks fresh and salt water supply. Hillerange two burner LP gas with oven, gimble.
	Refrigeration	Adler/Barbour sealed unit, 12 volt with chest type box in galley.
	Hot Water system	SEAWARD 240 volt element and HE off engine.
Safety Equipment	Safety Gear	To be audited at time of survey. Emergency steering apparatus direct to rudder post; 3 x SS lifelines around sides and stern; Life-sling; 8 PFD life vests; 2 x self-inflating life vests. 30m floating lifeline. First Aid Kit
	Bilge Pumps	Two x manual in cockpit; 1 x 12 volt in bilge electronic float switch.
Electrics / Electronics	Electrics	Batteries: Sealed lead acid: One 990 CCA engine 2 x 120 amp hour (house); Charger: ProNautic "Pro 40 P (40 amp hour); 20 amp x 20 m approx. lead to isolating switch in stern.
	Instruments / Navigation	Raymarine Wheel auto pilot, Tridata and Wind. Chart plotter (B+W)
Sail / Rigging	Sail Inventory	Main, Jibs #2 and #3, Symmetrical and Asymmetrical spinnakers
	Mast / Rigging	Masthead sloop. Aluminium anodized. Mast stepped on keel. Spinnaker & Jockey Pole. Fixed - 1x19 stainless steel. Running - Dyneema/Dacron covers.
	Deck Gear	Lewmar (2 speed) 2 x #30 for Main and halyards. 2 x #48 for Genoa. Schaefer Marine Furler.
Miscellaneous	General Remarks	Macerator pump; 2 x boxes SS screws and MT bolts various sizes; Primary & Secondary fuel filters + Lube filters; 2 x fan belts, Box miscellaneous items. 5 x fenders, 5 x various size mooring lines, 1 x towing line, crockery and cutlery.