

## Inventory

# Wauquiez Centurion 45s

## Specifications

Reference/Stock No	Down Under
Make	Wauquiez
Model	Centurion 45s
Hull Material	GRP/ Balsa wood sandwich with vinylester resin
Length	45
Price	\$ 245,000 AUD
Region	Brisbane, QLD
Vessel Name	Down Under
Launch Year	2008
Beam	4.16 m
Draft	2.50 m
Displacement	10,500 kg
Deck material	Composite coring and ISO gelcoat surface. The cabin top, cockpit floor and seat tops are laid teak.
Keel/balast	Lead
Designer	Berret/Racoupeau
Builder	Wauquiez France
Registration Number	XQ803Q
Engine Description	Yanmar 4JH4-TCE
Engine Hours	3,196 h
Horsepower	75 HP
Fuel Capacity	Two polyethylene fuel tanks, 225 litres main + 80 litres (approx.)
Fuel Type	Diesel
Propulsion	Swinging 3-blade "Flexofold" folding propeller
Deck Hardware / Fittings	Deck Description Aluminium cleats, Spinnaker pole "carbon, assy proder - carbon, 2 x Harken 70 2-speed winches, 1 x Harken 53 winch 2-speed, 2 x Harken 48 winches 2-speed, 1 x Harken 46 electric re-wind with remote. Provided: 2 x Harken fordeck tracks, cars and end stops to suit cutter sails.



		20 kg (approx.) Rocna anchor, 50m (approx) x 10mm galvanised chain (2025) and warp, 1 x spare Danforth sand anchor. Plough anchor and Storm anchor. Eagle 1400w winch 2022 with footswitch and helm control.
	Covers	Spray dodger, bimini and boom bag, Targa bar/davit arch is integrated with the pushpit. Pullpit. Stamoid easy-to-unroll cover from Bimini to mast, with additional foredeck cover. Wheel and dodger sun covers.
Accommodation	Accommodation Description	Fwd berth, stbd qrt berth, port qrt berth. Large spacious saloon with folding saloon table and two stools. Provided: Alternate smaller saloon/cockpit table, portable.
	Cabins	3
	Showers	3. 1 shower Per head, and Hot/Cold transom. Folding shower screens provided.
	Toilet	2 x toilets: fwd, MC electric unit, and aft is Jabsco manual unit.
	Entertainment	Alpine stereo. TV
Galley	Galley Description	2 burner: Eno gas cook top and oven. Transom mounted 2 burner: BBQ/oven.
	Refrigeration	Built-in front-opening fridge and top opening freezer in the galley.
	Water Capacity	500 L
	Hot Water system	Pressurised hot and cold water.
Safety Equipment	Safety Gear	To be audited at time of survey. Plastimo helm compass, A GME GX 406 EPIRB is card serial number 2111592680, UIN:3EECA8D8E2FFBFF. This is current until November 2031. Inshore flares 2024, 5 x standard PFD type 1 life jackets, 2 x N150 inflatable life jackets, Burke life sling and horseshoe life ring. 2 x 2kg dry powder fire extinguishers, fire blanket. Spare emergency Rudder.
	Bilge Pumps	Henderson compac manual bilge pump 2025. 12V MFA pump with Hydro Air swich serviced 2025.
Electrics / Electronics	Electrics	12 Volt DC ships, 240 Volt AC Shore power. Bimini mounted flexi-solar panels with Victron and Tri-Star MPPT controllers. Custom cockpit and transom lights. A Victron Phoenix 12/00 pure sine wave inverter is mounted under the navigatorâ€™s seat. The vessels DC system comprises of two battery banks. The start bank comprises of a single 80-amp hour Mixtech lead acid battery whilst the house bank comprises of 2 x

		183-amp hour Geltech batteries wired in parallel as a single bank. Xantrex true charge 2, Victron 50 amp charger. Victron BMV712 Monitor.
	Instruments / Navigation	Raymarine ST70 autopilot with remote, 2 x Raymarine A-series GPS/plotter at the helm, 3 x ST70 wind/depth/speed, Furuno Navpilot, C-map, Icom IC-M603 VHF radio with a handheld Icom VHF. Raymarine AIS 700.
Sail / Rigging	Sail Inventory	Main: Hydranet, 3 reefs. Main: Carbon, tired, 2 reefs, battened. Furling staysail, in sock. Furling storm jib. Genoa #2: carbon, serviced in 2025. Genoa #3: carbon, self tacking, serviced in 2025. Spinnaker: symmetric, large. Spinnaker: asymmetric, medium, in sock. Spinnaker: asymmetric, small, on furler.
	Mast / Rigging	The vessel is rigged as a fractional sloop. The Sparcraft anodised aluminium mast is fitted with three sets of slightly swept spreaders and rigged with cap shrouds, dis-continuous D1, D21, and D3 diagonal shrouds, aft lower shrouds forestay and a bridled backstay. The forestay is fitted with a Profurl R420 Genoa furling system. All standing rigging is 1 x 19 stainless steel wire and sheaves new 2025. The backstay is fitted with a Navtec hydraulic ram. A Seldon brand self-tacking jib track is fitted. All deck gear is good quality Harken brand including the winches. The vessel has an electric halyard winch.
Miscellaneous	General Remarks	Folding transom boarding platform and S/S swim ladder. Carbon passerelle, spare engine morse cables. Mooring lines, fenders, kitchenware, cordage, filter units (engine, desalinator, water), spare engine belts, red ensign, bosonâ€™s chair, miscellaneous tools.